



ADVANCED PHOTONICS

TACTICAL INFRARED ILLUMINATOR


IR-250S



When your light amplification device cannot stand against the power of darkness, IR-250S is the only solution. As the name suggests, it achieves up to 250 meters of illumination distance in low-light conditions when used together with a night vision device. Thanks to its multi-use design, IR-250S can be used as a hand-held unit and can be attached to the Picatinny mount and used with the remote control.

KEY FEATURES

- ◆ Powerful 850nm LED IR Illuminator
- ◆ Waterproof Enclosure
- ◆ Fits Picatinny Rails
- ◆ Equipped with Remote Control
- ◆ Spot-to-Flood Beam Focusing



Designed, Developed, Manufactured by GSCI Advanced Photonics
120 WHITMORE ROAD, UNIT 20, WOODBRIDGE, ONTARIO, L4L6A5, CANADA
WWW.GSCI.NET | GSCI@GSCI.NET | +1.905.850.0990

DISCLAIMER. Technical description, certain optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual device and are subject to change without prior notice by the sole discretion of General Starlight Co., Inc. Mass of the product represents measurable weight of all components this product consists of, such as optics, mechanics, and electronics. Dimensions of the product represents measurable size of the body, including all optical components attached and in fully folded position. Dimensions of additions such as mounting brackets, eyecups, objective lens covers, and/or battery extensions may vary and therefore are not listed herein. Copyright © 1992-2023 General Starlight Co., Inc. Canada. All rights reserved.



ADVANCED PHOTONICS

TACTICAL INFRARED ILLUMINATOR

IR-250S



IR-250S TECHNICAL SPECIFICATIONS	
IR Wavelength	850 nm
Max. Illumination	250 m
Power Source	2x CR123 Batteries or 1x 18650 Battery
Operating Time	Up to 2.5 hours
LED Power	5W
LED Lifetime	100 000 Hours
Max. Dimensions (LxWxH)	150x45x45 mm
Max. Weight of IR Flashlight	171 gr
Weight of Rail Mount	62 gr
Weight of Batt. Cap w/ Remote Control	40 gr
Material and Colour	Aluminum and Stainless Steel, Black
Warranty	1 Year

Rotate the head of the flashlight to adjust IR beam from “spot” to “flood”

Tail cap with On/Off push button is primarily used for hand-held applications



Replace standard tail cap with remote control battery cap for more convenience

Single On/Off push button with tactile feedback offers more convenient operation



The Rail Mount is compatible with Picatinny-style rails